

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A wind power installation having at least one switching apparatus for arrangement in a rotor blade of a wind power installation wherein the switching apparatus is activated when the switching apparatus has assumed a given switching position, ~~said switching apparatus~~ comprising:

an actuating shaft which is rigidly connectable to ~~a~~the rotor blade;

an actuator and at least one switch, wherein the actuator and the switch are disposed in a housing and the actuator is in the form of an actuator which is provided at least by ~~a~~an arcuate actuating guide and which is connected with a first actuating guide portion to the actuating shaft.

2. (Currently Amended) The ~~apparatus~~wind power installation according to claim 1, ~~further including: wherein~~

the arcuate actuating guide is a second actuating guide portion which arcuately embraces the actuating shaft at a predetermined spacing, wherein the arcuate portion faces with its inside towards the actuating shaft and on its outside has projections which upon movement and with suitable positioning co-operate with the switch.

3. (Currently Amended) The ~~apparatus~~wind power installation according to claim 2, ~~further including: wherein~~

the projections on the second actuating guide portion which ~~is~~are in the form of an actuating track for the switch, insofar as at at least one predetermined position ~~in respect of the spacing between the outer peripheral edge of the projections~~upon a rotary movement of the actuating shaft, the projections touch a part of the switch.

4. (Withdrawn) The switching apparatus according to claim 2 wherein the arcuate portion of the second actuating guide portion extends completely around the actuating shaft to form a circular, arcuate portion.

5. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including a plurality of switches along the direction of movement and/or the length of the second actuating guide portion.

6. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including a plurality of actuating tracks for a plurality of switches, said tracks being arranged in mutually juxtaposed relationship over the length of the second actuating guide portion.

7. (Withdrawn) The switching apparatus according to claim 1 wherein at least one switch is an electronic switch.

8. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including a base plate through which the actuating shaft is passed.

9. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 8 wherein the actuating shaft extends a predetermined length on the side of the base plate remote from the actuating guide and terminates in a connecting sleeve.

10. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including a first carrier plate which is mounted to ~~the~~ a base plate and carries the switch or switches.

11. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including:

a rotary sender actuated by means of the actuating shaft.

12. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 11, further including a rotary sender shaft connected to the actuating shaft by a coupling.

13. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 11, ~~characterised by~~ further including a common shaft for the actuating guide and the rotary sender.

14. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 11, further including a second carrier plate to which the rotary sender is fixed.

15. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 11 wherein the rotary sender is in the form of an incremental sender or a potentiometer.

16. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including:

a bearing and the actuating shaft is guided through ~~the~~ a base plate with the bearing.

17. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including ~~a connecting cable that is guided through a cable ducting in the~~ a base plate.

18. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including:

a plug connector fixed to the outside of the switching apparatus.

19. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, ~~further including~~ wherein the housing includes a cover hood which is formed in one piece, having an opening closable by ~~the~~ a base plate.

20. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 1, further including a heating source within the internal space of the switching apparatus, which space is formed by ~~the~~ a base plate and ~~the~~ a cover hood.

21. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 19, further including a sealing fit of the cover hood on the base plate.

22. (Currently Amended) The ~~switching apparatus~~ wind power installation according to claim 19, further including a predetermined minimum wall thickness of the cover hood and an in particular shear-resistant connection between the base plate and the cover hood.

23. (Canceled)

24. (Currently Amended) The wind power installation according to claim ~~23~~ 1, further including a rotor having the at least one rotor blade, wherein the switching apparatus is adapted to detect a pitch of the rotor blade.

25. (Original) The wind power installation according to claim 24 wherein the actuating shaft of the switching apparatus, for detecting the pitch, is coupled to the rotor blade in such a way that a change in the pitch of the rotor blade causes a rotational movement of the actuating shaft.

26. (Currently Amended) The wind power installation according to claim 24, ~~characterised by further including~~ a pitch regulation which as a measuring member has the switching apparatus and is adapted to regulate the pitch of the rotor blade.

27. (Original) The wind power installation according to claim 26 wherein the pitch regulation has a regulator and as an adjusting member a pitch drive.

28. (Currently Amended) A wind power installation having at least one A switching apparatus for arrangement in a rotor blade of a wind power installation wherein the switching apparatus is activated when the switching apparatus has assumed a given switching position, said switching apparatus comprising:

an actuating shaft which is rigidly connectable to the rotor blade,

an actuator and at least one switch, wherein the actuator and the switch are disposed in a housing and the actuator includes a first actuating guide portion and a second actuating guide portion and the actuator is connected via a first ~~sliding~~ actuating guide portion to the actuating shaft; and

athe second actuating guide portion which at least partially arcuately surrounds the actuating shaft at a predetermined spacing, ~~wherein and~~ the arcuate portion faces with its inside towards the actuating shaft and on its outside has projections ~~with which~~ upon movement and with suitable positioning, engage the at least one switch.

29. (Previously Presented) The switching apparatus according to claim 28 wherein the second actuating guide portion is arcuate only and forms less than an entire circular member.

30. (Withdrawn) The switching apparatus according to claim 28 wherein the second actuating guide is circular, forming circular member.